



City of Presidio

REGULAR
CITY COUNCIL
MEETING

JANUARY 26, 2026



**City Council
Regular Council Meeting
January 26, 2026**

Notice is hereby given that the City Council of the City of Presidio, Texas will hold a Regular City Council meeting, at 4:00 p.m. on Monday, January 26, 2026 at the Presidio Activity Center, (PAC) 1200 East O'Reilly St, in the City of Presidio, Texas for the purpose of considering the attached agenda. This notice is posted pursuant to the Texas Open Meetings Act. (Section 551.043, Texas Government Code).

To join the video meeting,

<https://meet.google.com/rpu-ftcx-gfo>

Otherwise, to join by phone, dial +1 929-266-1668 and enter this PIN: 989 728 643#

1. Call meeting to order
2. Quorum Check
3. Pledge of Allegiance
4. Public Comments *(Comments are limited only to matters that are not included in any item that has been posted on the agenda. Speakers are limited to a maximum of five minutes per speaker. Before addressing the City Council each speaker will state their name and address clearly before making comments).*
5. Department Reports – For review only
6. City of Presidio Business (New/Old)
 - a. Discussion / action / update on the TxCDBG Grant CDV23-0300 (Water and Drainage Improvements) project status and other grant matters. – Mrs. Becky Brewster
 - b. Discussion / action / update on the TxCDBG Rural Economic Development (RED) Grant CRC23-0523 project status and other grant matters. – Mrs. Becky Brewster
 - c. Discussion / action / update on the TxCDBG Grant CDV25-0138 project status. – Mrs. Becky Brewster
 1. Other grant matters.
 - d. Discussion / action / update on the TDEM TX 5161-4 (ARPA Funds). – Mrs. Becky Brewster
 1. Project status
 2. Other grant matters.
 - e. Discussion / Presentation of architectural plans for the new Big Bend Hospital District Presidio Health Center.
 - f. Discussion / action to approve an Interlocal Agreement between the City of Presidio EMS Services with Presidio County. Presenter Deidre Hisler-Presidio County Commissioner: Precinct 1.
 - g. Discussion / action to approve Ordinance 2026-1 Order of General Election and Notice of General Election for the City of Presidio.
 - h. Discussion / action to approve Ordinance 2026-2 Change the Time Change for City Council meeting.
 - i. Discussion / action on second and final reading of Ordinance 2026-3 on amended Dark Sky ordinance.
 - j. Discussion / action to consider appointment of Mr. Jiovannie Escontrias to the Presidio Municipal Development District Board open seat.

- k. Discussion / action regarding the Game Room Ordinance for the City of Presidio.
- l. Discussion / action regarding filming requests on the City of Presidio property from Ms. Sarah Eckenroth, MXR Films.
- m. Discussion / action to consider approval of quote for Electrical Work for Water Well #8 on the TXCDBG Project No. CDB23-0300.
- n. Discussion / action to consider approval of Change order No. 1 for Water Well #8 on the TxCDBG Project No. CDB23-0300.
- o. Update on the Presidio, Texas Geothermal ongoing and upcoming projects for the 1st quarter of calendar year 2026.
- p. Discussion / action to separate the current roles of the City Secretary and Human Resources.
 - 1. Adjourn into executive session as Authorized by the Texas Government Code including, but not limited to section 551.074 (Personnel Matters) 6p.
 - 2. Reconvene into open session and take such action as appropriate.

7. Adjourn

I certify that the above notice of regular city council meeting was posted in the display case near the front entrance of City Hall on or before three working days January 20, 2026 and at the display case near the door of the Presidio Activity Center located at 1200 E. O'Reilly St, Presidio, Texas on or before three working days January 20, 2026. I further certify that this agenda was also posted in the City of Presidio website www.presidiotx.us – Council Meeting & Updates – Agenda & Meetings on or before three working days January 20, 2026.

Brenda Lee Ornelas-Acuña
City Secretary

All items on the agenda are for discussion and or action by the Presidio City Council. The Presidio City Council Reserves the Right to Adjourn Into Executive Session at Any Time During the Course of this Meeting to Discuss Any of the Matters Listed Above, as Authorized by the Texas Government Code including, but not limited to, Sections 551.071 (Consultation with Attorney), 551.072 (Deliberations About Real Property), 551.073 (Deliberations about Gifts and Donations), 551.074 (Personnel Matters), 551.076 (Deliberations about Security Devices), 551.087 (Economic Development) and 418.183 (Deliberations about Homeland Security Issues) Council will make a tape recording of the proceedings of a closed meeting to deliberate this information. This facility is wheelchair accessible and parking spaces are available. Request for accommodations must be made 48 hours prior to this meeting. Please contact City Hall at 432 229-3517, FAX 432 229-3505, or email borneelas@presidiotx.us for further information.

JANURARY 2026

PUBLIC WORKS
DEPARTMENT REPORT

Waste Water Dep Monthly Report: December 2025

On the month of December there were no new sewer connections. Weekly samples were taken and sent out to the Odessa Water Lab to be analyzed for TSS and BOD levels. On the date of 12/17/25 a manhole cover was replaced at El Campo St. and Cassell Avenue, then on 12/22/25 the repair of a sewer line was done, materials used were 6ft. of 4in. sewer pipe, and 2 FERNCO rubber couplings. General maintenance was done at the waste water treatment plant which included:

- Landscaping
- Data recording
- Cleaning done at the auger

Waste Water / Work Order

Date: 12-17-25

▪ Lift Station

- Basic Maintenance
- Full Greasing on Bearings
- Change of 1" piping on Lift Station #2
- Change of 2" piping on Lift Station #3
- Floats Replacement
- Lift Station Fail

Additional:

▪ New Sewer Connection

- How many feet was installed?
- Size of pipe that was used?

Additional:

▪ Sewer Related Issues

- Clogged Line
- Clogged Manhole

Additional:

Replaced manhole cover at El campo st & Cassell Ave

Done By: Carlos. R, Ruben. G, Joaquin. V

Waste Water / Work Order

Date: 12-22-25

▪ Lift Station

- Basic Maintenance
- Full Greasing on Bearings
- Change of 1" piping on Lift Station #2
- Change of 2" piping on Lift Station #3
- Floats Replacement
- Lift Station Fail

Additional:

▪ New Sewer Connection

- How many feet was installed?
- Size of pipe that was used?

Additional:

▪ Sewer Related Issues

- Clogged Line
- Clogged Manhole

Additional: Repair of sewer line

6ft of 4" line sewer line

2x Fernco Couplings Rubber

Done By:

Rubin Guerrero

Joaquin Valenzuela

Lift Station Checklist

Employee: Jimmy A

Lift Station: #1

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	12-31-25	01-01-26	01-02-26	01-03-26	01-03-26	01-04-26	01-04-26	01-05-26	01-06-26	01-07-26
• Check status of floats (take out of lift station and clean if necessary)	5:25	7:18	5:16	7:11	5:57	7:13	5:16	7:15	1:20	5:15
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	-	-	-	-	-	-	-	-	-	-
• Clean lift station area when necessary and throw out trash	-	-	-	-	-	-	-	-	-	-
• Check both return lines to make sure they are not clogged (lift station 2)	-	-	-	-	-	-	-	-	-	-
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jimmy A

Lift Station: #2

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-31-25 TIME (PM)	01-01-26 TIME (AM/PM)	01-02-26 TIME (AM/PM)	01-03-26 TIME (AM/PM)	01-04-26 TIME (AM/PM)	01-05-26 TIME (AM/PM)	01-06-26 TIME (AM/PM)	01-07-26 TIME (AM)	01-08-26 TIME (AM)	01-09-26 TIME (AM)
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	-	-	-	-	-	-	-	-	-	-
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	-	-	-	-	-	-	-	-	-	-
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	-	-	-	-	-	-	-	-	-	-
• Clean lift station area when necessary and throw out trash	-	-	-	-	-	-	-	-	-	-
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Timmy A

Lift Station: #3

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-31-25 TIME (PM)	01-01-26 TIME (AM/PM)	01-02-26 TIME (AM/PM)	01-03-26 TIME (AM/PM)	01-04-26 TIME (AM/PM)	01-05-26 TIME (AM/PM)	01-06-26 TIME (AM/PM)	01-07-26 TIME (AM)		
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	-	-	-	-	-	-	-	-	-	-
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	-	-	-	-	-	-	-	-	-	-
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	-	-	-	-	-	-	-	-
• Clean lift station area when necessary and throw out trash	✓	✓	-	-	-	-	-	-	-	-
• Check both return Lines to make sure they are not clogged (lift station 2)	-	-	-	-	-	-	-	-	-	-
• Pull and clean basket every other day (minimum)	-	-	-	-	-	-	-	-	-	-

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jimmy

Lift Station: #4

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	02-21-25	01-01-26	01-02-26	01-03-26	01-04-26	01-05-26	01-06-26	01-07-26		
• Check status of floats (take out of lift station and clean if necessary)	5:50	7:41	5:44	7:40	5:43	7:41	12:50	5:41	7:41	1:49
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return Lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Timothy A

Lift Station: #5

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-31-25 TIME (PM)	01-01-26 TIME (AM/PM)	01-02-26 TIME (AM/PM)	01-03-26 TIME (AM/PM)	01-04-26 TIME (AM/PM)	01-05-26 TIME (AM/PM)	01-06-26 TIME (AM/PM)	01-07-26 TIME (AM)	01-08-26 TIME (AM)	01-09-26 TIME (AM)
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	-	-	-	-	-	-	-	-	-	-
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	-	-	-	-	-	-	-	-	-	-
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	-	-	-	-	-	-	-	-	-	-
• Clean lift station area when necessary and throw out trash	-	-	-	-	-	-	-	-	-	-
• Check both return Lines to make sure they are not clogged (lift station 2)	-	-	-	-	-	-	-	-	-	-
• Pull and clean basket every other day (minimum)	-	-	-	-	-	-	-	-	-	-

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Ruben G.

Lift Station: 1

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-24-25	12-25-25	12-26-25	12-27-25	12-28-25	12-29-25	12-30-25	12-31-25	
• Check status of floats (take out of lift station and clean if necessary)	5:55	7:00	6:05	2:05	5:55	8:00	1:35	4:55	7:30
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Ruben G

Lift Station: 2

Action	DATE	DATE							
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-24-25 5:45	12-25-25 2:05	12/26/25 7:10	12/27/25 8:15	12/28/25 7:40	12/29/25 7:20	12/30/25 7:10	12/31-25 7:10	
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Ruben G.

Lift Station: 3

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE		
	TIME (PM)	TIME (AM/PM)	TIME (AM)								
• Physically see if water level is at an adequate level	12/24/75	12/25/75	12/26/75	12/27/75	12/28/75	12/29/75	12/30/75	12/31/75	1/1/76		
• Check status of floats (take out of lift station and clean if necessary)	5:35	7:30	5:40	7:25	5:30	8:30	12:05	5:20	7:50	5:40	7:55
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Ruben G

Lift Station: 4

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	12/24/25	12/25/25	12/26/25	12/27/25	12/28/25	12/29/25	12-29-25	12-30-25	12-31-25	
• Check status of floats (take out of lift station and clean if necessary)	5:15	7:45	5:20	7:40	5:15	8:10	5:40	8:00	7:35	5:25
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Ruben G

Lift Station: 5

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-24-25 TIME (PM)	12-25-25 TIME (AM/PM)	12-26-25 TIME (AM/PM)	12-27-25 TIME (AM/PM)	12-28-25 TIME (AM/PM)	12-29-25 TIME (AM/PM)	12-30-25 TIME (AM/PM)	12-31-25 TIME (AM)		
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Calks

Lift Station: 1

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-17-25	12-18-25	12-19-25	12-20-25	12-21-25	12-22-25	12-23-25	12-24-25	
• Check status of floats (take out of lift station and clean if necessary)	5:33	9:10	5:35	7:18	5:36	8:00	1:10	5:23	8:16
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return Lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Carlos

Lift Station: 2

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-17-25	12-16-25	12-15-25	12-20-25	12-21-25	12-22-25	12-23-25	12-23-25	12-24-25
• Check status of floats (take out of lift station and clean if necessary)	5:26	7:15	5:28	7:23	5:30	8:08	1:15	5:38	8:21
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on AUTO position.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Carlos

Lift Station: 3

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Check status of floats (take out of lift station and clean if necessary)	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Notify if a float is damaged or malfunctioning	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Verify all controls are in working condition. (No signs of damage or danger)	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Make sure switches are on <u>AUTO</u> position.	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Listen to motors and controls to confirm there are no strange noises.	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Report to indicated personnel for electrical problems	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Pull out motor and clean minimum one a week (or however many times necessary.) Notify and plan cleaning a head of time.	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Clean lift station area when necessary and throw out trash	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Check both return lines to make sure they are not clogged (lift station 2)	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓
• Pull and clean basket every other day (minimum)	12-17-25 ✓	12-18-25 ✓	12-19-25 ✓	12-20-25 ✓	12-21-25 ✓	12-22-25 ✓	12-23-25 ✓	12-24-25 ✓	12-24-25 ✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Carlos

Lift Station: 4

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-17-25 TIME (PM)	12-18-25 TIME (AM/PM)	12-19-25 TIME (AM/PM)	12-20-25 TIME (AM/PM)	12-21-25 TIME (AM/PM)	12-22-25 TIME (AM/PM)	12-23-25 TIME (AM/PM)	12-24-25 TIME (AM)	12-25-25 TIME (AM)	12-26-25 TIME (AM)
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Corbs

Lift Station: 5

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-17-25 TIME (PM)	12-18-25 TIME (AM/PM)	12-19-25 TIME (AM/PM)	12-20-25 TIME (AM/PM)	12-21-25 TIME (AM/PM)	12-22-25 TIME (AM/PM)	12-23-25 TIME (AM/PM)	12-24-25 TIME (AM)		
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	—	—	—	—	—	—	—	—	—	—
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	—	—	—	—	—	—	—	—	—	—
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	—	—	—	—	—	—	—	—	—	—
• Clean lift station area when necessary and throw out trash	—	—	—	—	—	—	—	—	—	—
• Check both return lines to make sure they are not clogged (lift station 2)	—	—	—	—	—	—	—	—	—	—
• Pull and clean basket every other day (minimum)	—	—	—	—	—	—	—	—	—	—

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jesus

Lift Station: 1

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
<ul style="list-style-type: none"> Physically see if water level is at an adequate level Check status of floats (take out of lift station and clean if necessary) Notify if a float is damaged or malfunctioning Verify all controls are in working condition. (No signs of damage or danger) Make sure switches are on <u>AUTO</u> position. Listen to motors and controls to confirm there are no strange noises. Report to indicated personnel for electrical problems Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time. Clean lift station area when necessary and throw out trash Check both return lines to make sure they are not clogged (lift station 2) Pull and clean basket every other day (minimum) 	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	12-10-25	12-11-25	12-11-25	12-12-25	12-13-25	12-14-25	12-14-25	12-15-25	12-16-25	12-17-25
	7:59	5:45	7:58	5:40	7:12	11:00	5:11	8:00	11:00	5:00
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jesus

Lift Station: 2

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)						
• Physically see if water level is at an adequate level	12-10-25	12-11-25	12-12-25	12-13-25	12-14-25	12-15-25	12-16-25	12-17-25	
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on AUTO position.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jesus

Lift Station: 3

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jesus

Lift Station: 41

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	12-6-25	12-11-25	12-12-25	12-13-25	12-14-25	12-15-25	12-16-25	12-17-25		
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓		
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓		
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓		
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓		
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓		
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓		
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓		
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓		
• Check both return Lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓		
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓		

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Lift Station: 5

Employee: Jesus

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	12-10-25	12-11-25	12-12-25	12-13-25	12-14-25	12-15-25	12-16-25	12-17-25	12-18-25	12-19-25
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Sequin V.

Lift Station: 1

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-3-25 TIME (PM)	12-4-25 TIME (AM/PM)	12-5-25 TIME (AM/PM)	12-6-25 TIME (AM/PM)	12-7-25 TIME (AM/PM)	12-8-25 TIME (AM/PM)	12-9-25 TIME (AM/PM)	12-10-25 TIME (AM/PM)	12-11-25 TIME (AM)	12-16-25 TIME (AM)
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	-	-	-	-	-	-	-	-	-	-
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	-	-	-	-	-	-	-	-	-	-
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	-	-	-	-	-	-	-	-	-	-
• Clean lift station area when necessary and throw out trash	-	-	-	-	-	-	-	-	-	-
• Check both return lines to make sure they are not clogged (lift station 2)	-	-	-	-	-	-	-	-	-	-
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Jacquin V.

Lift Station: 2

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)										
• Physically see if water level is at an adequate level	12-3-25	12-4-25	12-5-25	12-6-25	12-7-25	12-8-25	12-9-25	12-10-25	12-11-25	12-12-25	1-1-26	1-2-26	1-3-26
• Check status of floats (take out of lift station and clean if necessary)	5:28	1:09	5:30	7:16	5:16	1:22	10:25	10:51	11:10	4:22	4:22	5:39	7:19
• Notify if a float is damaged or malfunctioning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on AUTO position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Clean lift station area when necessary and throw out trash	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check both return Lines to make sure they are not clogged (lift station 2)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Pull and clean basket every other day (minimum)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Soaquih V.

Lift Station: 3

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	TIME (PM)	TIME (AM/PM)	TIME (AM)							
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	—	—	—	—	—	—	—	—	—	—
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	—	—	—	—	—	—	—	—	—	—
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	—	—	—	—	—	—	—	—	—	—
• Clean lift station area when necessary and throw out trash	—	—	—	—	—	—	—	—	—	—
• Check both return lines to make sure they are not clogged (lift station 2)	—	—	—	—	—	—	—	—	—	—
• Pull and clean basket every other day (minimum)	—	—	—	—	—	—	—	—	—	—

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Sequin V

Lift Station: 4

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-3-25 TIME (PM)	12-4-25 TIME (AM/PM)	12-5-25 TIME (AM/PM)	12-6-25 TIME (AM/PM)	12-7-25 TIME (AM/PM)	12-8-25 TIME (AM/PM)	12-9-25 TIME (AM/PM)	12-10-25 TIME (AM)	12-11-25 TIME (AM)	12-12-25 TIME (AM)
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	—	—	—	—	—	—	—	—	—	—
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	—	—	—	—	—	—	—	—	—	—
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	—	—	—	—	—	—	—	—	—	—
• Clean lift station area when necessary and throw out trash	—	—	—	—	—	—	—	—	—	—
• Check both return lines to make sure they are not clogged (lift station 2)	—	—	—	—	—	—	—	—	—	—
• Pull and clean basket every other day (minimum)	—	—	—	—	—	—	—	—	—	—

*Check backside for additional comments. (Ver detras de hoja para comentarios adicionales.)

Lift Station Checklist

Employee: Joquin V.

Lift Station: 5

Action	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE	DATE
	12-3-25 TIME (PM)	12-4-25 TIME (AM/PM)	12-5-25 TIME (AM/PM)	12-6-25 TIME (AM/PM)	12-7-25 TIME (AM/PM)	12-8-25 TIME (AM/PM)	12-9-25 TIME (AM/PM)	12-10-25 TIME (AM)		
• Physically see if water level is at an adequate level	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Check status of floats (take out of lift station and clean if necessary)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Notify if a float is damaged or malfunctioning	—	—	—	—	—	—	—	—	—	—
• Verify all controls are in working condition. (No signs of damage or danger)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Make sure switches are on <u>AUTO</u> position.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Listen to motors and controls to confirm there are no strange noises.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
• Report to indicated personnel for electrical problems	—	—	—	—	—	—	—	—	—	—
• Pull out motor and clean minimum one a week. (or however many times necessary.) Notify and plan cleaning a head of time.	—	—	—	—	—	—	—	—	—	—
• Clean lift station area when necessary and throw out trash	—	—	—	—	—	—	—	—	—	—
• Check both return Lines to make sure they are not clogged (lift station 2)	—	—	—	—	—	—	—	—	—	—
• Pull and clean basket every other day (minimum)	—	—	—	—	—	—	—	—	—	—

*Check backside for additional comments. (ver detras de hoja para comentarios adicionales.)

City of Presidio Water Dep Monthly Report: December 2025

For the month of December, the City of Presidio had a total of 28 leaks in town. The majority of these leaks consisted of service line leaks and 2" PVC line leaks. One water tap/ new water connection was done this month. All drinking water Microbial report (Bac-T) samples that were done for the month have come back absent of total coliform, and E. Coli.

Below is a list of materials used throughout the month of December to perform our duties:

- 316ft of ¾" Service Line replaced
- 12x ½" Repair Clamps
- 2x ¾" Water meters installed
- 3x ¾" Flare x Flare
- 1x ¾" Corp Stop
- 1x 2x ¾" Water Service Saddle
- 10ft of 1" Service Line Installed
- 4x 2" Repair Clamps
- 12ft of 2" PVC Line replaced
- 5x 2" PVC Compression Dressers

Attached is a copy of the leak list, and Bac-T sample results for this month:

ADRESS	LEAK	DATE
Commerce St & Barton Ave	SL	12-02-25
Texas Ave & Via Capri	2"	12-02-25
Bledsoe Blvd & Long Horn Ave	SL	12-02-25
US HWY 67 & Howard St	2"	12-03-25
Rio Grande Ave & Via los Nietos	SL	12-04-25
Texas Ave & 3 rd St	2"	12-04-25
Ashland St & Bledsoe Blvd	SL	12-05-25
Santa Fe Blvd & 2 nd St	SL	12-05-25
Santa Fe Blvd & 2 nd St	2"	12-05-25
Texas Ave & 3 rd St	SL	12-05-25
Bunton Ave & Alpine St	2"	12-08-25
Commerce Ave & Erma Ave	SL	12-08-25
Gonzales St & Market St	SL	12-08-25
Alton Ave & Howard St	SL	12-09-25
Sierra Ave & State St	SL	12-09-25
Julian Tavarez St & Madera St	¾"	12-09-25
Alton Ave & Howard St	SL	12-10-25
Erma Ave & Inspiration Dr	2"	12-10-25
Texas Ave & Via Capri	1"/SL	12-11-25
Highland St & Hurd Ave	SL	12-12-25
Millington Blvd & 4 th St	SL	12-15-25
Baeza St & Wilson St	Water Tap/ SL	12-16-25
Millington Blvd & 5 th St	SL	12-16-25
Duran St & Baeza St	2"	12-22-25
Stockyard Rd & 3 rd St	2"	12-23-25
Wilkinson Ave & Commerce St	2"	12-23-25
Huckabee Ave & Via Los Nietos	SL	12-26-25
Rio Grande Ave & Via Los Nietos	2"	12-30-25

TCEQ Microbial Reporting Form (TCEQ-10525)

Form Instructions: www.tceq.texas.gov/drinkingwater/microbial/ryesped-total-collform-rlr
 Water System Identification & Sample Collection Information (Please print or type the information)

Public Water System ID: TX 1890002
 (Must be 7 digits, include all zeros)

Public Water System Name: City of Presidio

Name: City of Presidio
 Address: P.O. Box 18999
 City: Presidio State: TX Zip Code: 79845
 Phone #: 432-244-6100 PWS Email:

City of Odessa Laboratory Services
 817 W. 42nd St., Odessa, TX 79764
 Phone: (432) 368-3536
 Samples Accepted: 8:00am to 3:30pm, Mon-Thu ONLY
 No sample accepted on Fridays

TCEQ Laboratory ID: T104704363

Sample Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Actual Temp	4.15	Corrected Temp	5.5
Incubation Date and Time					
Start Date and Time	12-25	1353	Analyst	JP	
End Date and Time	12-25	1546	Analyst	JP	
Lab Rejected Code (LR) - Document Reason:					

Laboratory Approval: *Jessica Wells*
 Reported to PWS By: *Jessica Wells*
 Date: 12/3/05 Time: 10:24

Sample Identification/Location	Sample Type (1 one)	Routine (Distribution)	Repeat	Raw Well	Special *	Construction *	Date (MM/DD/YY)	Time Military Time (HHMM)	Frigid mg/L	Total mg/L	Replacement	Original Sample Info: Sample ID and Date of Collection (Repeat, TSM Raw Well, Replacement)	Laboratory Analysis Results						
													Repetition Code (if applicable) - Please Recalled	Test Method: Coliforme, SM 9223 B	Chlorine Check	Total Coliform	E. coli	Analysis Results meet all accreditation requirements unless stated otherwise	
111 Lower Peters Rd	✓						12-01-25	1318	.99				✓	Absent	Absent	Absent	Absent	Present	120225466
1603 Hooker Ave	✓						12-01-25	1348	1.25				✓	Absent	Absent	Absent	Absent	Present	120225467
802 E Wilson St	✓						12-01-25	1358	1.45				✓	Absent	Absent	Absent	Absent	Present	120225468
311 E Cassell St	✓						12-01-25	1407	1.40				✓	Absent	Absent	Absent	Absent	Present	120225469

I acknowledge that samples were handled appropriately and all information is accurate. Falsification of this form or tampering with water samples is a crime punishable under state and/or federal law. (Texas Penal Code, Title 8, Chapter 37.10)

Sampler Name (Print): Azucena Orta
 Sampler Signature: *Azucena Orta*
 Sampler Phone #: 432-244-6100
 Operator License # (if applicable): # 00057043

Relinquished By Sampler: Garcia Orta
 Date and Time: 12/01/25 2:30
 Received By Courier (if applicable):
 Date and Time: 12-2-25 11:19

Relinquished By Courier: UPS 13-925-952132 7251332
 Date and Time: 12-2-25 11:19
 Received By Lab: *Z*
 Date and Time: 12-2-25 11:19

TCEQ Microbial Reporting Form (TCEQ-10525)

Form Instructions: www.tceq.texas.gov/drinkingwater/microbial/vised-total-collform-rule

Water System Identification & Sample Collection Information (Please print or type the information)

Public Water System ID: TX 1090002
 (Must be 7 digits - include all zeros)

Public Water System Name: City of Presidio

Name: City of Presidio
 Address: PO Box 1899
 City: Presidio State: TX Zip Code: 79845

Phone #: 432-244-6406 PWS Email:

City of Odessa Laboratory Services
 817 W. 42nd St., Odessa, TX 79764
 Phone: (432) 368-3536
 Samples Accepted: 8:00am to 3:30pm, Mon-Thu ONLY
 No sample accepted on Fridays

TCEQ Laboratory ID: T104704363



Report Results To:

Sample Lead?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature (°C)	Actual Temp: 9.15 Corrected Temp: 9.8
Incubation Date and Time	12-16-25 14:58		
Start Date and Time	12-16-25 14:58		
End Date and Time	12-17-25 15:28		
Analysis	E. coli		
Lab Rejected Code (L/R) - Document Reason:	E. coli		

* SAMPLES MARKED AS SPECIAL OR CONSTRUCTION CANNOT BE USED AS ROUTINE OR REPEAT SAMPLES

Sample Identification Location	Sample Type (V one)	Collected	Date (MM/DD/YY)	Time (HH:MM)	Chlorine Residual (mg/L)	Total (mg/L)	Replacement	Original Sample Info: Sample ID and Date of Collection (Repeat, TSM Raw Well, Replacement)	Rejection Code (if applicable) - Please Recollect	Laboratory Analysis Results						Date	Time
										Test Method: Colisure, SM 9223 B	Chlorine Check	Total Coliform	E. coli	Analysis Results meet all accreditation requirements unless stated otherwise.	Laboratory Sample ID Number		
203 Bledsoe Blvd	V		12-15-25	13:43	1.37					Present	Absent	Present	Absent	Present	121625439	12/16/25	08:02
605 W Modern St	V		12-15-25	13:49	1.50					Present	Absent	Present	Absent	Present	121625440	12/16/25	11:13
506 W Howard St	V		12-15-25	13:54	1.35					Present	Absent	Present	Absent	Present	121625441	12/16/25	11:13
X 1300 Landfill Rd	V		12-15-25	14:05	1.63					Present	Absent	Present	Absent	Present	121625442	12/16/25	11:13

I acknowledge that samples were handled appropriately and all information is accurate. Falsification of this form or tampering with water samples is a crime punishable under state and/or federal law. (Texas Penal Code, Title 8, Chapter 37.10)

Sampler Name (Print): Azcanis Ornela
 Sampler Signature: [Signature]
 Sampler Email: azcanis@presidio.tx.us
 Operator License #: 1000057843
 Date and Time: 12-16-25 11:13

JANURARY 2026

VOLUNTEER FIRE
DEPARTMENT REPORT



City of Presidio
Volunteer Fire Department
100 E. HWY 170, Presidio TX, 79845

December, 2025 PVFD Monthly Report

Operations:

The PVFD was requested a total of zero (0) different occasion. Locations, type, dates and number of firefighters are as follows;

Meetings/trainings; a total of five (5) meetings/trainings/special assignments were held for the month of December, 2025.

The PVFD used roughly around fifty (50) gallons of water were used during calls and trainings for the month of December, 2025.


Below is a list of cost incurred by the PVFD for the month of December , 2025.

Total money spent; \$67.70. Sixty- seven dollars and seventy cents.

1. Fuel; \$67.70. Sixty- seven dollars and seventy cents.

This concludes the PVFD departmental report for December, 2025.

PVFD Fire Chief
Saul Pardo Jr.


PVFD Secretary & Treasurer
Karen Manriquez / Stephanie Rivera



Date: 12-01-2025
 Time In: 09:00
 Time Out: 20:00
 Total Hours: 11
 No of firefighters: 2
 Units used: all
 Est. Water Used: None

**City of Presidio Volunteer
 Fire Department**

Meetings & Trainings

Fire Fighters			RESCUE/RIT TEAM		
<input checked="" type="checkbox"/>	1	Saul Pardo - Chief	570	23	592
<input type="checkbox"/>	2	Roberto Pina - Assitant Chief	571	24	593
		COMPANY "A"			594
<input type="checkbox"/>	3	Jesus Hermosillo - Captain	572	26	595
<input type="checkbox"/>	4	Adrian Flores - Lieutenant	573	27	596
<input type="checkbox"/>	5	Stephanie Rivera - Secretary/Treasurer	574	28	597
<input type="checkbox"/>	6	Karen Manriquez - Secretary/Treasurer	575	29	598
<input checked="" type="checkbox"/>	7	Ramon Valles - Custodian	576	30	599
<input type="checkbox"/>	8	Amanda Olsen	577		
<input type="checkbox"/>	9	Maria Franco	578		
<input type="checkbox"/>	10	Aldo Urias	579		
		COMPANY "B"			
<input type="checkbox"/>	11	America Loya	580	1	Noemi A. Puentes PJFF1
<input type="checkbox"/>	12	Yaren Loya	581	2	PJFF2
				3	PJFF3
<input type="checkbox"/>	13	Damaris Mena	582	4	PJFF4
<input type="checkbox"/>	14	Hector Reyes	583	5	PJFF5
<input type="checkbox"/>	15	Fabian Vique Rodriguez	584		
					Support Firefighters
<input type="checkbox"/>	16		585	1	Karlo Manriquez PSFF1
<input type="checkbox"/>	17		586	2	Jeseca Murillo PSFF2
<input type="checkbox"/>	18		587	3	Alejandro Montemayor PSFF3
<input type="checkbox"/>	19		588	4	Ana Medina PSFF4
<input type="checkbox"/>	20		589	5	PSFF5
<input type="checkbox"/>	21		590		
<input type="checkbox"/>	22		591		

Training/Meeting Summary

Meeting in Glorissel ~ budget. Meeting in Rodriguez about Tifmas deployment. Meeting ~ New policies. Reviewed & edited policies.
 Regular Meeting @ 18:30 - Started all units for in 1 hour. Planned events for January 2026. Discussed Tifmas deployment.

 Fire Chief
 Saul Pardo Jr.

 Assistant Chief
 Robert Pina

 Officer



Date: 12/13/25
 Time In: 8:30
 Time Out: 10:45 ^{9:00}
 Total Hours: 10.5
 No of firefighters: 9
 Units used: 2
 Est. Water Used: 30 gal

City of Presidio Volunteer
 Fire Department
 Meetings & Trainings

Fire Fighters				RESCUE/RIT TEAM	
<input checked="" type="checkbox"/>	1	Saul Pardo - Chief	570	23	592
<input type="checkbox"/>	2	Roberto Pina - Assitant Chief	571	24	593
		COMPANY "A"		24	594
<input type="checkbox"/>	3	Jesus Hermosillo -Captain	572	26	595
<input type="checkbox"/>	4	Adrian Flores - Lieutenant	573	27	596
<input checked="" type="checkbox"/>	5	Stephanie Rivera - Secretary/Treasurer	574	28	597
<input checked="" type="checkbox"/>	6	Karen Manriquez - Secretary/Treasurer	575	29	598
<input checked="" type="checkbox"/>	7	Ramon Valles - Custodian	576	30	599
<input type="checkbox"/>	8	Amanda Olsen	577		
<input type="checkbox"/>	9	Maria Franco	578		
<input type="checkbox"/>	10	Aldo Urias	579		
<input checked="" type="checkbox"/>	11	America Loya	580	<input checked="" type="checkbox"/>	1 Noemi A. Puentes PJFF1
<input checked="" type="checkbox"/>	12	Yaren Loya	581	<input checked="" type="checkbox"/>	2 Edgar Puentes PJFF2
		COMPANY "B"		3	PJFF3
<input checked="" type="checkbox"/>	13	Damaris Mena	582	4	PJFF4
<input checked="" type="checkbox"/>	14	Hector Reyes	583	5	PJFF5
<input checked="" type="checkbox"/>	15	Fabian Vique Rodriguez	584		
<input type="checkbox"/>	16		585	1	Karlo Manriquez PSFF1
<input type="checkbox"/>	17		586	2	Jesseca Murillo PSFF2
<input type="checkbox"/>	18		587	3	Alejandro Montemayor PSFF3
<input type="checkbox"/>	19		588	4	Ana Medina PSFF4
<input type="checkbox"/>	20		589	5	PSFF5
<input type="checkbox"/>	21		590		No. of Oasis Fire Dept. members
<input type="checkbox"/>	22		591		No. of Ojina ga Fire Dept. memebbers

Training/Meeting Summary

Conducted a wildland training prepare by Texas forest service personnel. For the first portion of the training we started at the ~~the~~ pac center to go over some in class material before going out to do a prescribed burn. After, we went out to the site and did a test burn to see how the weather we had discussed were going to affect our fire. Due to a lot of green vegetation and patchy grass our practice fire did not completely burn. After we discussed our plan to do the bigger prescribed burn divided into two teams.

Saul Pardo Jr.
 Fire Chief
 Saul Pardo Jr.

Robert Pina
 Assistant Chief
 Robert Pina

Karen Manriquez
 Officer



Date: 12/10/25
 Time In: 6:30
 Time Out: 21:30
 Total Hours: 3
 No of firefighters: 12
 Units used: _____
 Est. Water Used: none

City of Presidio Volunteer
 Fire Department
 Meetings & Trainings

Fire Fighters			RESCUE/RIT TEAM		
<input checked="" type="checkbox"/>	1 Saul Pardo - Chief	570	23		592
<input type="checkbox"/>	2 Roberto Pina - Assitant Chief	571	24		593
	COMPANY "A"		24		594
<input checked="" type="checkbox"/>	3 Jesus Hermosillo - Captain	572	26		595
<input checked="" type="checkbox"/>	4 Adrian Flores - Lieutenant	573	27		596
<input checked="" type="checkbox"/>	5 Stephanie Rivera - Secretary/Treasurer	574	28		597
<input checked="" type="checkbox"/>	6 Karen Manriquez - Secretary/Treasurer	575	29		598
<input checked="" type="checkbox"/>	7 Ramon Valles - Custodian	576	30		599
<input type="checkbox"/>	8 Amanda Olsen	577			
<input type="checkbox"/>	9 Maria Franco	578			
<input type="checkbox"/>	10 Aldo Urias	579			
<input checked="" type="checkbox"/>	11 America Loya	580	<input checked="" type="checkbox"/>	1 Noemi A. Puentes	PJFF1
<input checked="" type="checkbox"/>	12 Yaren Loya	581	<input checked="" type="checkbox"/>	2 Edgar Puentes	PJFF2
	COMPANY "B"		3		PJFF3
<input checked="" type="checkbox"/>	13 Damaris Mena	582	4		PJFF4
<input checked="" type="checkbox"/>	14 Hector Reyes	583	5		PJFF5
<input checked="" type="checkbox"/>	15 Fabian Vique Rodriguez	584			
<input type="checkbox"/>	16	585	1	Karlo Manriquez	PSFF1
<input type="checkbox"/>	17	586	2	Jesseca Murillo	PSFF2
<input type="checkbox"/>	18	587	3	Alejandro Montemayor	PSFF3
<input type="checkbox"/>	19	588	4	Ana Medina	PSFF4
<input type="checkbox"/>	20	589	5		PSFF5
<input type="checkbox"/>	21	590			
<input type="checkbox"/>	22	591			

No. of Oasis Fire Dept. members _____
 No. of Ojinaga Fire Dept. memebers _____

Training/Meeting Summary

For our second meeting of the month we had a
brisket dinner conducted by one of the county commissioners
that he provided to the PVFD in thank you for our
service. We also voted in previous member Edgar Puentes

S. Pardo Jr.
 Fire Chief
 Saul Pardo Jr.

Assistant Chief
 Robert Pina

[Signature]
 Officer



Date: 12/14/2025
 Time In: 1000
 Time Out: 2200
 Total Hours: 12 hrs
 No of firefighters: _____
 Units used: _____
 Est. Water Used: _____

City of Presidio Volunteer
 Fire Department
 Meetings & Trainings

Fire Fighters				RESCUE/RIT TEAM	
<input checked="" type="checkbox"/>	1	Saul Pardo - Chief	570	23	592
<input checked="" type="checkbox"/>	2	Roberto Pina - Assitant Chief	571	24	593
		COMPANY "A"		24	594
<input checked="" type="checkbox"/>	3	Jesus Hermosillo - Captain	572	26	595
<input checked="" type="checkbox"/>	4	Adrian Flores - Lieutenant	573	27	596
<input checked="" type="checkbox"/>	5	Stephanie Rivera - Secretary/Treasurer	574	28	597
<input checked="" type="checkbox"/>	6	Karen Manriquez - Secretary/Treasurer	575	29	598
<input checked="" type="checkbox"/>	7	Ramon Valles - Custodian	576	30	599
<input type="checkbox"/>	8	Amanda Olsen	577		
<input type="checkbox"/>	9	María Franco	578		
<input type="checkbox"/>	10	Aldo Urias	579		
<input type="checkbox"/>	11	America Loya	580	1	Noemi A. Puentes PJFF1
<input type="checkbox"/>	12	Yaren Loya	581	2	PJFF2
		COMPANY "B"		3	PJFF3
<input type="checkbox"/>	13	Damaris Mena	582	4	PJFF4
<input type="checkbox"/>	14	Hector Reyes	583	5	PJFF5
<input checked="" type="checkbox"/>	15	Fabian Vique Rodriguez	584		
<input type="checkbox"/>	16		585	1	Karlo Manriquez PSFF1
<input type="checkbox"/>	17		586	2	Jeseca Murillo PSFF2
<input type="checkbox"/>	18		587	3	Alejandro Montemayor PSFF3
<input type="checkbox"/>	19		588	4	Ana Medina PSFF4
<input type="checkbox"/>	20		589	5	PSFF5
<input type="checkbox"/>	21		590		
<input type="checkbox"/>	22		591		

No. of Oasis Fire Dept. members
 No. of Ojinaga Fire Dept. memebers

Training/Meeting Summary

Conducted a wildland fire training. A didactic portion of the lesson was conducted at the PAC. Live fire training was performed at the Bishop fields. Debriefing was held at the Fire station. All units were refilled and ICFR response ready.

Fire Chief
 Saul Pardo Jr.

Assistant Chief
 Robert Pina

Stephanie R
 Officer

WELCOME
DY
104 W. O Reilly
Presidio TX
79845

DATE 12/13/25 18:14
TRAN#9059701
PUMP# 05
SERVICE LEVEL: SELF
PRODUCT: UNLD
GALLONS: 11.029
PRICE/G: \$3.149
FUEL SALE \$34.73
CREDIT \$34.73

USD\$34.73
*****8008
Entry: Chip Read
AppName: ExxonMobil
Busin
AuthNet:
MODE: Issuer
AID: A0000007681010
Auth #: 467418
Odometer: 13460
Veh #: 00373
Resp Code: 000
Stan: 0109301092
Invoice #: 187913
Shift #: 1
Store # *****

K. Manriquez 57
B51

THANK YOU
HAVE A NICE DAY

WELCOME TO
OUR STORE

DY
104 W. O Reilly
Presidio TX 79845

Description	Qty	Amount
PLUS CR #07	9.2906	32.97
SELF @ 3.549/ G		
Subtotal		32.97
TOTAL		32.97
CREDIT \$		32.97

USD\$32.97
*****8008
Entry: Chip Read
AppName: ExxonMobil Busin
AuthNet:
MODE: Issuer
AID: A0000007681010
Auth #: 467426
Odometer: 26098
Veh #: 00363
Resp Code: 000
Stan: 0109301095
Invoice #: 187914
Shift #: 1
Store # *****

FEC

S. Rivera

ST#66
LSH: 0
DR#1 TRAN#9079042
12/13/25 6:15:55 PM

JANURARY 2026

EMS
DEPARTMENT REPORT

City of Presidio Emergency Medical Services Department

Monthly Report for December 2025

Introduction

Pursuant to the City of Presidio's reporting requirements, this document summarizes the Emergency Medical Services (EMS) Department's activities and accomplishments for August 2025.

Unit Status

- **Unit #561: Operational.**
- **Unit #560: Temporarily out of service WILL REMOUNT UNDER HB3000**
- **Unit #562: Taken out of service because of high repair costs; exploring replacement options. Sale needed.**
- **New Unit CHP Medic 564 is now operational.**

Staffing Overview:

- Total Employees: 10.
- Full-time Staff: 7.
- EMS Director: 1.
- Paramedics: 4 total, including the director.
- EMT-B: 3.
- AEMTs: 2.
- PRN Staff: 6.
- Paramedic Students: Currently Enrolled: 1; Removed for Non-Compliance: 3; Set to Test: 1 (successfully tested and certified).

Medical Direction

- Medical Director: The transition is now finished; we are awaiting performance results and the arrival of new protocols soon.
- The Medical Director plays a key role in our program.
- Community Health Paramedicine (CHP)
- Staff are progressing well, with overall patient numbers rising despite a small decrease during summer vacations.s.
- Key Metrics: 57 visits, steady the previous month.
 - Program Highlights: The second CHP vehicle is now fully operational and will be in use once the logos are applied to the doors.
 - The van is fully functional and responds to EMS 911 calls.

Grants and Training

Texas Tech is starting staff training to improve medical skills and facilitate the transition. Two groups have visited El Paso; one has completed two training sessions, while the other is set to train in September during weeks two and three. We are still awaiting the paramedic refresher and EMTB refresher, which are expected in December 2025 and January 2026, respectively, from Texas Tech. The refresher has not occurred as of January 6, 2026.

Operations

- Responded to EMS 911 calls: 35, down 13 from last month.
- Conducted non-emergency transport: 27.
- Refusals no transport 8.
- Concerns: No concerns provided.

Licensure and Compliance

The EMS provider license has been secured, with all necessary documentation submitted and confirmed by the new medical director at Texas Tech. We are currently awaiting implementation of the protocol, which is delayed as the medical director completes it. Regarding needs and future plans, we aim to replace the EMS unit, which has high mileage (560), as part of our long-term strategy. Our team is considering options such as applying for USDA grant funding or purchasing a unit from CCHD. We urgently require HIPAA-compliant laptops and additional desktop computers. Staffing issues are being managed continuously, with plans to gradually increase personnel. The transition plan for the new medical director has been finalized, and ongoing evaluations and improvements are underway. We are also seeking a second school apartment to relocate our EMS station and provide living quarters to enhance response times. This new apartment will also be used for storage of office supplies and as a training facility. We will start a search for a new medical director, and we will also work on the new license cycle due by the last day of April 2026. Will look at a TEEX grant for another EMT-B class.

- Troy Sparks, EMS Director, certifies that the information provided in this report is accurate and true to the best of their knowledge.

Previous Month ▾ Dec 1, 2025 - Dec 31, 2025 ▾

13:07

MM:SS
Average Response Time

17:00

MM:SS
90th Percentile Response Time

31

DAYS
In Selected Time Slice

35

UNIT RESPONSES
In Selected Time Slice



Counts % Rows % Columns % All

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
00:00 - 04:59				1										1
05:00 - 07:59														
08:00 - 08:59			2	1										3
09:00 - 09:59			1											1
10:00 - 11:59		2		1	1									4
12:00 - 14:59	6	2	1	5										14
15:00 - 16:59	1	1	1	3	1									7
17:00 - 17:59			2											2
18:00 - 19:59			1											1
20:00 - 29:59	1				1									2
30:00 - 59:59														
Total	8	5	8	11	3									35
Exceptions														0



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

02:06:36

MM:SS
Average Turn Around Time

0%


OF PATIENT ENCOUNTERS
Turn Around Time < 18:00

31

DAYS
In Selected Time Slice

25

PATIENT ENCOUNTERS
In Selected Time Slice



	00:00 - 19:59	20:00 - 29:59	30:00 - 44:59	45:00 - 59:59	1:00:00 - 1:29:59	1:30:00 - 1:59:59	2:00:00 - 2:59:59	Total
00:00							1	1
02:00						1	1	2
03:00						1		1
06:00							1	1
07:00								
08:00			1					1
09:00				1			1	2
10:00		1					1	2
11:00							1	1
12:00							1	1
13:00							1	1
14:00					1		1	2
15:00							1	1
18:00							1	1
19:00							2	2
20:00							2	2
21:00							2	2

	00:00 - 19:59	20:00 - 29:59	30:00 - 44:59	45:00 - 59:59	1:00:00 - 1:29:59	1:30:00 - 1:59:59	2:00:00 - 2:59:59	Total
23:00							2	2
Total		1	1	1	1	2	19	25
Exceptions								1



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

02:06:36

MM:SS
Average Turn Around Time

0%


OF PATIENT ENCOUNTERS
Turn Around Time < 18:00

31

DAYS
In Selected Time Slice

25

PATIENT ENCOUNTERS
In Selected Time Slice



Counts % Rows % Columns % All

	00:00 - 19:59	20:00 - 29:59	30:00 - 44:59	45:00 - 59:59	1:00:00 - 1:29:59	1:30:00 - 1:59:59	2:00:00 - 2:59:59	Total
00:00							1	1
02:00						1	1	2
03:00						1		1
06:00							1	1
07:00								
08:00			1					1
09:00				1			1	2
10:00		1					1	2
11:00							1	1
12:00							1	1
13:00							1	1
14:00					1		1	2
15:00							1	1
18:00							1	1
19:00							2	2
20:00							2	2
21:00							2	2

	00:00 - 19:59	20:00 - 29:59	30:00 - 44:59	45:00 - 59:59	1:00:00 - 1:29:59	1:30:00 - 1:59:59	2:00:00 - 2:59:59	Total
23:00							2	2
Total		1	1	1	1	2	19	25
Exceptions								1



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

- Counts
- % Rows
- % Columns
- % All

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
Abdominal Pain	1			1										2
Acute abdomen	1													1
Acute Respiratory Distress (Dyspnea)				1										1
Alcohol intoxication	1													1
Anxiety reaction/Emot... upset	1		2											3
Back Pain	1													1
Chest Pain / Discomfort		1	1		1									3
Chest Pain, Other (Non-Cardiac)				1										1
Cough			1	1	1									3
Dehydration	2				1									3
Diabetic Hyperglycemia		1		1										2
Edema			1											1
Epistaxis				2										2
Extremity Pain			1											1
Fever			1	1										2
Headache	1													1
Hypertension	2		1											3
Injury	1		1											2
Injury of Pelvis				1										1
Laryngitis/Cro...		1												1
Nausea		1												1
No Complaints or Injury/Illness Noted	11	12	12	5	8									48
Obvious Death	1													1
Pain (Non-Traumatic)				1										1
Preterm labor without delivery			1											1

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
ST elevation myocardial infarction (STEMI)	1													1
Stroke				1										1
Transient Cerebral Ischemic Attack (TIA)		1												1
Total	24	17	22	16	11									90



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

28%

TRANSPORTS
Percentage of Patient Encounters

7%

NON TRANSPORTS
Percentage of Patient Encounters

1%

OTHER DISPOSITIONS
Percentage of Patient Encounters

92

RECORDS
In Selected Time Slice



Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
Assist, Agency	1													1
Patient Refused Evaluation/Ca... (Without Transport)			2											2
Patient Treated, Released (AMA)	2	1		1										4
Transported Lights/Siren	3	3	3	7	3									19
Transported No Lights/Siren	1	1	2	3										7
NULL	18	12	16	5	8									59
Total	25	17	23	16	11									92



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

46%

TRANSPORTS
Percentage of Patient Encounters

11%


NON TRANSPORTS
Percentage of Patient Encounters

2%

OTHER DISPOSITIONS
Percentage of Patient Encounters

57

RECORDS
In Selected Time Slice



31

DAYS
In Selected Time Slice

- Counts
- % Rows
- % Columns
- % All

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
Sunday				1										1
Monday	2	1	4	2	3									12
Tuesday	1		1	2	1									5
Wednesday	5	3	3	1	1									13
Thursday		1	3	1										5
Friday	3	2	4	4										13
Saturday	3	2	1	2										8
Total	14	9	16	13	5									57



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

46%

TRANSPORTS
Percentage of Patient Encounters

11%


NON TRANSPORTS
Percentage of Patient Encounters

2%

OTHER DISPOSITIONS
Percentage of Patient Encounters

57

RECORDS
In Selected Time Slice



31

DAYS
In Selected Time Slice

- Counts
- % Rows
- % Columns
- % All

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
December	14	9	16	13	5									57
Total	14	9	16	13	5									57



Previous Month ▾

Dec 1, 2025 - Dec 31, 2025 ▾

26

RECORDS
In Selected Time Slice

31


DAYS
In Selected Time Slice

Big Bend Regional Medical Center

AeroCare - Ft. Stockton

Native Air 4 AIR METHODS

UMC El Paso



Counts

% Rows

% Columns

% All

Week Ending	12/7/25	12/14/25	12/21/25	12/28/25	1/4/26	1/11/26	1/18/26	1/25/26	2/1/26	2/8/26	2/15/26	2/22/26	3/1/26	Total
AeroCare - Ft. Stockton			1											1
Big Bend Regional Medical Center	4	4	4	8	3									23
Native Air 4 AIR METHODS				1										1
UMC El Paso				1										1
Total	4	4	5	10	3									26

JANURARY 2026

SENIOR CENTER
DEPARTMENT REPORT

City of Presidio #000151800

SALARIES	
Director (Ma. Dolores)	
Nelly	
Alicia	
Anahy	
Griselda	
Glorissel (Financial Director)	

INCLUDING TITLE XX-IIIHC, TITLE XIX-CBA
AAA-CONG, AAA-HDM, OTHER FIG
AND OTHER, NON-FIG

Dec-25

Due by the 7th of each month

SUBTOTAL SALARIES	
Payroll Tax (7.65%)	
State Unempl Tax-(TUCA)	
Fed Ins Comp Act(FICA)	
Fed Ins Act (FUTA)	
Worker's Comp Ins	
Health Insurance	
Retirement	

SUBTOTAL TAXES	
Conference/Hotel	
Dues/Per Diem	
Rural Nut Vendor	

TOTAL PROF DEV	
Raw Food	8,574.95
Consumables(PAPER)	324.24
Consumables (Meal Delivered)	729.6
Consumables (pots,pans,utensils)	50.03
Janitorial (Supplies)	342.7

TOTAL \$10,021.52

TOTAL MEAL/FOOD	
Electricity	
Building Insurance	
Building Repair	
Fumigation	
Propane	

TOTAL OCCUP/BLDG	
State Inspection	
Gas	80.58
Oil Change	
Auto Insurance	
Car Maintenance	
Tire Repair	

TOTAL TRANSP/TRAVEL	
Fire Extinguisher Insp	
Office Supplies	
Postage	
Phone/Internet	
Xerox	
Health Insurance	

CLIENTS	
HDM-DHS TITLE XX	74
HDM-MEDICARE	0
NON-ELI HDM	1
AAA-HDM	31
AAA-CONGREGATE	19
Total Clients	125

MEALS	
HDM-DHS TITLE XX	1345
HDM-MEDICARE	0
NON-ELI HDM	20
AAA-HDM	693
AAA-CONGREGATE	358
Total Clients	2416

ADM & GENERAL	7
DPS background/year	

HOME-DELIVERED MEALS MONTHLY ACTIVITY REPORT

THIS FORM IS DUE ON OR BEFORE THE 15th OF EACH MONTH.

Agency Name: City of Presidio, Texas Vendor # 000151800 Activity Month: DECEMBER 2025

Service Delivery Date	Description of Services	*Number of unduplicated clients	Quantity	Unit Price	Amount
	CCAD - CIL	74	1345	\$6.46	\$8,688.70
	CCAD NON-CIL	1	20	\$6.46	\$129.20
	Title XX (ALL CCAD MEALS)	75	1365	\$6.46	\$8,817.90
	GRAND TOTAL (All HHSC Home Delivered Meals)	75	1365	\$6.46	\$8,817.90

- * TOTAL OF EACH CATEGORY.
- * GRAND TOTAL SHOULD EQUAL THE NUMBER OF MEALS SHOWN ON FORM 2071.

SEND TO:

**Texas Department of Health
and Human Services Commission
401 E. Franklin, Suite 450
El Paso, Texas 79901
FAX (915) 834-7562**

**Contact Person: Ma. Dolores Hernandez
Phone No. 432-229-3290
Date: 1/09/2026**

Region01/10EOPCM@hhs.texas.gov

Attention: Community Care Services Contracts
Community Care Services- Community Services

JANURARY 2026

LIBRARY
DEPARTMENT REPORT

JANURARY 2026

LANDFILL
DEPARTMENT REPORT

Landfill Monthly Report- December 2025

Customer	Trips	Tires	Tons	Head	Head Tons	City Tons Brush	Total:
City of Presidio - Truck	21	32	160.84				\$ -
Republic Services	21	26	163.89				\$ 11,950.69
T.D.S	9	11	72.61				\$ 5,294.68
Cibolo Ranch	9		14.23				\$ 1,437.61
Manuel Carrasco	1		0.17				\$ 12.39
Pancho Villa Construction	4		5.73				\$ 417.81
Northern Challenge Contractor	1		2.99				\$ 3,446.78
G.Deeds L.L.C	1		0.18				\$ 13.12
Prestow L. Fowlkes	2		3.11				\$ 226.77
Tripe AAA Contractors	3		1.86				\$ 134.90
Relmco inc	1		1.29				\$ 94.06
Francisco Ortiz	2		10.28				\$ 749.61
Ivan Muniz	1	2					\$ 21.20
Ector Pena	1		SCALEUSE				\$ 21.00
Troy Rinehart	1		0.75				\$ 54.69
Adrian Flores	1		0.39				\$ 28.43
Jr. Horses	5			7	2.67		\$ 420.00
Enrique Ramos	1			1	0.44		\$ 60.00
U.S.D.A	1			1	0.28		\$ 60.00
Presidio Free Trash						62.74	\$ -
TOTAL		71 TIRES	438.32 TONS	9 HEADS	3.39 TONS	62.74 TONS	\$ 24,443.74

Good morning, the total tons this month is 504.45.

Garbage truck #71 was having a lot of mechanical issues. There was a period where the truck was leaking oil. The mechanic came to work on it and was able to get it running again but was not fully repaired due to some of the parts not arriving on time. For any question call me Gilberto Valdez (432) 295-1097 | accept comments.

JANURARY 2026

POLICE & ANIMAL CONTROL
DEPARTMENT REPORT



PRESIDIO POLICE DEPARTMENT

Adan Covos Jr - Chief of Police

410 N Belmont St P.O. Box 2706 Presidio, Texas 79845 (432) 229-3527 FAX: (432) 229-2803

Att:

Mayor: John Ferguson

City Administrator: Pablo Rodriguez

City Council:

PRESIDIO POLICE DEPT. MONTHLY REPORT

DECEMBER 1 to DECEMBER 31, 2025

Service calls Total 182

➤ Locked vehicles or residences	15
➤ EMS assist	4
➤ Border Patrol Assists	3
➤ Fire Assist	0
➤ DPS assist	1
➤ Assisted Sheriff's Office	0
➤ Civil matters	3
➤ Alarm	11

➤ Disturbance	3
➤ Suspicious person or vehicle	4
➤ Welfare concern	9
➤ Assistance	10
➤ Criminal Trespass	1
➤ Stolen Vehicle	0
➤ Recovered stolen property	2
➤ Warrant	1
➤ Traffic control	0
➤ Mental	0
➤ Escort	15
➤ Motorist Assist	4
➤ Motor vehicle accident	5
➤ Suspicious Circumstances	3
➤ Towed Vehicle	2
➤ Disorderly Conduct	5
➤ Dog at Large	3
➤ Unattended Death	1
➤ Closed Patrol	61
➤ City Ordinance	2
➤ Walk in	14

Total Traffic Stops 69

➤ Speeding	19
➤ Fail to drive single-lane.	1
➤ No license plate	7
➤ Open container	1
➤ No driver's license	4
➤ Defective head and tail lamps	14
➤ Disregard stop sign	8
➤ Fail to signal at the required distance.	2
➤ Expired Registration	3
➤ Disorderly conduct	0
➤ Unauthorized glass coating	2
➤ Illegal turn	0
➤ Public intoxication	1
➤ Possession or purchase of cigarettes	0
➤ No liability insurance	8
➤ City Ordinance	4
➤ Possession of drug paraphernalia	0

➤ Passing in No Passing zone	0
➤ Assault	0
➤ Reckless driving	0
➤ Fail to Rendered Aid	0
➤ No seatbelt	1
➤ Unlawfully Parked	1
➤ Obscured LP	6
➤ Fail to yield right away.	0
➤ No LP Light	8
➤ Criminal Trespass	1
➤ Fictitious License Plate	0

Incident/ Warrant and Offense Reports

Total 10

➤ Agency Assist	0
➤ Assault	0
➤ Motor vehicle accident	2
➤ Family Violence	0
➤ Harassment	1
➤ Criminal mischief	0
➤ Forgery	0
➤ Narcotics	0
➤ Identity theft	0

➤ Recovered Stolen Property	1
➤ Civil Matter	1
➤ Reckless Driving	1
➤ Unattended death	1
➤ Welfare concern	0
➤ Lost property	0
➤ Disturbance	0
➤ Mental	0
➤ Warrant	1
➤ Stolen vehicle	0
➤ Criminal Trespass	1
➤ Theft	0
➤ Disorderly Conduct	1

Administrative:

- Participated in JOIC Teleconference with other agencies.
- Attended City council meetings
- Administered meeting with officers
- Installed Motorola Cameras in Units
- Meet with NIBRS Representative
- Meeting with TX Dot
- Meeting Child Advocacy Center
- Assisted 3k Presidio Run
- City of Presidio Tree Lighting
- PPD Blue Santa

Individual Officer Reports: Stops / Calls for Service(CFS) / Incident @ Offense(IO) / Arrest / Training

- Officer 702 – (0) ARREST / (IO) – 2 / STOPS - 0 / (CFS) - 22
- Officer 704 – (1) ARREST / (IO) – 5 / STOPS - 41 / (CFS) – 74
- Officer 706 – (0) ARREST / (IO) – 1 / STOPS - 1 / (CFS) – 35
- Officer 708 – (0) ARREST / (IO) – 1 / STOPS – 27 / (CFS) – 51

Referring and assisting other Agencies

- Assisting Border Patrol
- Assisted EMS
- Assisted SO
- Assisted Fire Dept.
- Assisted DPS

Animal Control Report

- Animal Control Officer: Jose Acosta
- - Picked up or Surrendered: 23 dogs
- - Euthanized: 0
- - Calls for service: 232 calls
- - Adoptions: 2 adoption
- - Citations: 0 citations
- - Released to Owner: 5 dogs
- - Released to Other Agencies: 18 dogs
- Dead Animal Pickups - 5
- - Currently have NO Veterinarian.

JANURARY 2026

MUNICIPAL COURT
DEPARTMENT REPORT



Presidio Municipal Court

Judge Viviana Cataño

507 W O'Reilly St. – P.O. Box 2706 Presidio Texas 79845 – (432)229-3527 – Fax (432)229-2144

Date: January 6, 2025

To: City of Presidio, Mayor and Council, City Administrator

From: Judge Viviana Cataño

Dear Mayor, Administrator and City Council:

Attached is a brief report of December's activities of the Municipal Court.

Administrative Activities:

- Handled 65 office calls for the Municipal Court.
- Reported weekly convictions to DPS.
- Processed 19 traffic violation tickets from the Presidio Police Department.
- Clerk Elida worked with Glorissel Financial on e-Grants, submitting reports for Stonegarden and Lone Star grants.
- Clerk Elida continuously monitored e-Grant updates to ensure compliance.
- Coordinated with Police Officers regarding warrants, complaints, and Instander 24/7.
- Submitted Purchase Orders (POs) as needed.
- The Court made two (2) deposits during December.
- Submitted the OCA Municipal Monthly Report to the State.
- Assisted 55 walk-in customers at the Municipal Court.
- Conducted multiple background checks for CBP and Border Patrol personnel through the Court system.
- Court sessions were held Mondays and Thursdays.
- Worked closely with the District Attorney's Office on various cases and procedures.
- Assisted Police Officers with case-related questions.
- Continued issuing Show Cause letters for outstanding citations.
- Supervised Community Service workers, assisting the City with:
 - Grass cutting
 - Park cleanups
 - Landfill cleanups
 - Senior Center assistance
 - Animal Shelter support
- Coordinated with Perdue Law Firm on outstanding citations; notices are being sent.
- Assisted the Animal Control Officer as needed.
- Notarized complaints for Police submissions to County Court.
- Notarized City paperwork as required.

- Worked with Presidio School Police, who issued two (2) citations to Municipal Court.
- Attended City Council Meetings.
- Participated in an informal Children's Advocacy Center Interagency Meeting in collaboration with Border Public Health.
- Attended a Case Review Meeting with the Children's Advocacy Center and partner agencies.
- Assisted with the Lighting of the Tree event on December 5, receiving very positive feedback from the community.

Training / Magistrate & Warrant Activity – December 2025

County	Time	Offense
Presidio	4:34 PM	Driving While License Invalid w/ Previous Convictions
Presidio	4:34 PM	Assault – Class A
Presidio	4:34 PM	Reckless Driving – Class B

December Municipal Court reporting


 Judge Viviana Cataño

COMMISSIONERS REPORT
VIVIANA CATAÑO, PRESIDIO COUNTY PRESIDIO MUNICIPAL COURT - BAR ON 01/07/2026 AT 09:12am

12/01/2025 THRU 12/31/2025

	Cases Pending 12/01/2025	Cases Added	Cases Disposed	Cases Pending 12/31/2025
Misdemeanor C	920	23	16	927
Misdemeanor AB	4	0	0	4
Felony	0	0	0	0
Misdemeanor C Juv	41	3	1	43
Misdemeanor AB Juv	0	0	0	0
Felony Juv	0	0	0	0
Truancy	0	0	0	0
Civil	0	0	0	0
Other Activity				
Inquests		0	0	
EPO		0	0	
Admin Hearings		0	0	
Magistration		0		

Money Collected

Criminal Collected	5,910.00
Juvenile Collected	725.00
Truancy Collected	0.00
Civil Collected	0.00
Inquest Collected	0.00
Miscellaneous Collected	0.00
Total Collected	6,635.00

COMMISSIONERS REPORT
 VIVIANA CATAÑO, PRESIDIO COUNTY PRESIDIO MUNICIPAL COURT - RAN ON 01/07/2026 AT 09:12am

12/01/2025 THRU 12/31/2025

Fees Received

FEES	GL	TOTAL	MONEY	NON-MONEY	RETAINED	DISBURSED
CRIMINAL DISTRIBUTIONS						
CONSOLIDATED COURT COSTS	NO GL CODE	1657.90	1657.90	0.00	165.79	1492.11
FINE	NO GL CODE	2703.73	2703.73	0.00	2703.73	0.00
MUNICIPAL ARREST FEE	NO GL CODE	132.42	132.42	0.00	132.42	0.00
UNRESTRAINED CHILD / SAFE	NO GL CODE	174.86	174.86	0.00	87.43	87.43
CHILD SAFETY COURT COST	NO GL CODE	25.00	25.00	0.00	25.00	0.00
DEFERRED DISPOSITION	NO GL CODE	52.00	52.00	0.00	52.00	0.00
DRIVER SAFETY COURSE	NO GL CODE	10.00	10.00	0.00	10.00	0.00
STATE TRAFFIC FINE (EFF.	NO GL CODE	642.13	642.13	0.00	25.69	616.44
LOCAL TRAFFIC FINE (EFF.	NO GL CODE	36.28	36.28	0.00	36.28	0.00
DEFERRED FINE	NO GL CODE	100.00	100.00	0.00	100.00	0.00
CAMPUS ARREST FEE	NO GL CODE	1.30	1.30	0.00	1.30	0.00
LOCAL CC COURTHOUSE SECUR	235-200-4521	131.03	131.03	0.00	131.03	0.00
LOCAL CC JURY FUND	235-200-4522	2.67	2.67	0.00	2.67	0.00
LOCAL CC TECH FUND	235-200-4523	106.97	106.97	0.00	106.97	0.00
LOCAL CC TRUANCY PREVENTI	235-200-4524	133.71	133.71	0.00	133.71	0.00
		<u>5910.00</u>	<u>5910.00</u>	<u>0.00</u>	<u>3714.02</u>	<u>2195.98</u>
JUVENILE DISTRIBUTIONS						
CONSOLIDATED COURT COSTS	NO GL CODE	324.49	324.49	0.00	32.45	292.04
FINE	NO GL CODE	198.00	198.00	0.00	198.00	0.00
MUNICIPAL ARREST FEE	NO GL CODE	8.02	8.02	0.00	8.02	0.00
STATE TRAFFIC FINE (EFF.	NO GL CODE	50.00	50.00	0.00	2.00	48.00
LOCAL TRAFFIC FINE (EFF.	NO GL CODE	3.00	3.00	0.00	3.00	0.00
DEFERRED FINE	NO GL CODE	41.00	41.00	0.00	41.00	0.00
TIME PAYMENT REIMBURSEMEN	NO GL CODE	9.06	9.06	0.00	9.06	0.00
CAMPUS ARREST FEE	NO GL CODE	18.15	18.15	0.00	18.15	0.00
LOCAL CC COURTHOUSE SECUR	235-200-4521	25.65	25.65	0.00	25.65	0.00
LOCAL CC JURY FUND	235-200-4522	0.52	0.52	0.00	0.52	0.00
LOCAL CC TECH FUND	235-200-4523	20.94	20.94	0.00	20.94	0.00
LOCAL CC TRUANCY PREVENTI	235-200-4524	26.17	26.17	0.00	26.17	0.00
		<u>725.00</u>	<u>725.00</u>	<u>0.00</u>	<u>384.96</u>	<u>340.04</u>

SUMMARY BREAKDOWN

Cash	5705.00
Credit Card	830.00
Check	100.00

COMMISSIONERS REPORT
VIVIANA CATAÑO, PRESIDIO COUNTY PRESIDIO MUNICIPAL COURT - RAM ON 01/07/2026 AT 09:12am

12/01/2025 THRU 12/31/2025

TOTAL MONETARY	6,635.00
TOTAL NON-MONETARY	0.00
GRAND TOTAL	6,635.00

JANURARY 2026

FINANCE
DEPARTMENT REPORT
&
ACCOUNTS PAYABLE

LINE ITEM 6

**CITY OF PRESIDIO BUSINESS
(NEW/OLD)**

- a. Discussion / action / update on the TxCDBG Grant CDV23-0300 (Water and Drainage Improvements) project status and other grant matters. – Mrs. Becky Brewster

LINE ITEM 6

CITY OF PRESIDIO BUSINESS (NEW/OLD)

- b. Discussion / action / update on the TxCDBG Rural Economic Development (RED) Grant CRC23-0523 project status and other grant matters. – Mrs. Becky Brewster

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- c. Discussion / action / update on the TxCDBG Grant CDV25-0138 project status. – Mrs. Becky Brewster
 - 1. Other grant matters.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- d. Discussion / action / update on the TDEM TX 5161-4 (ARPA Funds).
 - Mrs. Becky Brewster
 - 1. Project status
 - 2. Other grant matters.

LINE ITEM 6

**CITY OF PRESIDIO BUSINESS
(NEW/OLD)**

- e. Discussion / Presentation of architectural plans for the new Big Bend Hospital District Presidio Health Center.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS (NEW/OLD)

- f. Discussion / action to approve an Interlocal Agreement between the City of Presidio EMS Services with Presidio County. Presenter Deidre Hisler-Presidio County Commissioner: Precinct 1.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- g. Discussion / action to approve Ordinance 2026-1 Order of General Election and Notice of General Election for the City of Presidio.

ORDINANCE 2026-1

AN ORDINANCE OF THE CITY OF PRESIDIO, TEXAS, CALLING THE GENERAL ELECTION OF OFFICERS FOR SAID CITY; ESTABLISHING THE QUALIFICATIONS FOR MAYOR & CANDIDATES FOR OFFICE; PROVIDING FOR APPLICATIONS AND LOYALTY OATHS FOR CANDIDATES AND FIXING A FILING DEADLINE TO ACCOMPANY SUCH APPLICATION; PROVIDING FOR RATIFICATION AND CONFIRMATION BY THE MAYOR OF SAID CITY OF THE ACTION TAKEN BY THIS ORDINANCE; PROVIDING FOR AN EFFECTIVE DATE OF THIS ORDINANCE.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PRESIDIO, TEXAS;

SECTION ONE

Pursuant to provisions of Section 22.03, et seq., Texas Local Government Code, as amended, and provisions of the Texas Election Code, the Mayor and City Council of City of Presidio, Texas, hereby order and ordain, respectively, that a General Election shall be held on the first Saturday in May; it being the 2nd day of May, 2026, between the hours of 7:00 a.m. and 7:00 p.m., for the purpose of electing three (3) full term city council members to be elected by the qualified voters of the City of Presidio, Texas.

SECTION TWO

Polling place for the purpose of the General Election called and ordained by this ordinance, the election shall be held; for both early voting and election day at City of Presidio Activity Center, 1200 East O'Reilly Street, City of Presidio, Texas.

SECTION THREE

That none but legally qualified voters shall be entitled to vote at said election. Legally qualified voters shall be those persons having a current voter registration and shall be residents of the City of Presidio according to the Texas Election Code for said municipal election.

SECTION FOUR

That notice of said election shall be posted in three public places within the limits of the city according to the Texas Election Code, City Hall 507 West O'Reilly Street, City of Presidio, Texas; Presidio Activity Center 1200 East O'Reilly Street, City of Presidio, Texas; www.presidiotx.us under Public Notices-City Secretary. A return of such posting shall be documented by the City Secretary. Said notice to prescribe early voting by mail, early voting places and hours of operation, and Election Day hours of operation. Publication of said notice shall be in accordance with the Texas Election Code.

SECTION FIVE

The Mayor of the City and City Council is hereby authorized and directed to issue a notice of said election. The form of the notice prescribed by the Texas Secretary of State's Office shall serve as proper notice of said election. Said notice, including Spanish translations therein, shall be given by publishing or posting in accordance with Section 4.003, of the Texas Election Code.


SECTION SIX

By signing this ordinance, the undersigned Mayor of the City hereby ratifies and confirms as his action all matters hereinabove recited which by law comes within his jurisdiction.

SECTION SEVEN

This ordinance shall be effective immediately upon its passage and approval.

READ, PASSED, AND APPROVED ON THIS 26th DAY OF JANUARY, 2026.



John Ferguson
Mayor, City of Presidio

ATTEST:

Brenda Ornelas-Acuña
City Secretary
City of Presidio

**APPROVED AS TO FORM AND
FUNCTION:**

Cynthia Trevino, Bojorquez Law Firm
Assistant City Attorney

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- h. Discussion / action to approve Ordinance 2026-2 Change the Time Change for City Council meeting.

ORDINANCE NO. 2026-2

AN ORDINANCE AMENDING ORDINANCE NO. 2025-8 PROVIDING FOR ONE REGULAR COUNCIL MEETING FOR THE CITY OF PRESIDIO; SETTING SECOND MONDAY OF EACH MONTH AND/OR FOURTH MONDAY OF EACH MONTH (IF NEEDED) 5:30 P.M. AS THE DAY AND/ OR DAYS OF THE REGULAR COUNCIL MEETING FOR THE CITY OF PRESIDIO.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PRESIDIO, TEXAS:

WHEREAS; THAT THE CITY COUNCIL OF THE CITY OF PRESIDIO WILL HOLD ONE REGULAR COUNCIL MEETING PER MONTH, AND THAT THE CITY COUNCIL WILL HOLD ITS REGULAR COUNCIL MEETING ON THE SECOND AND/OR FOURTH, MONDAY OF EACH MONTH AT 5:30 PM.

WHEREAS; THAT THIS ORDINANCE SHALL TAKE EFFECT AND BE IN FORCE FROM AND AFTER ITS PASSAGE.

NOW THEREFORE, PASSED, APPROVED AND ADOPTED ON THIS THE 26th DAY OF JANUARY 2026, AT THE REGULAR MEETING OF THE CITY OF PRESIDIO. THERE BEING A QUORUM PRESENT, APPROVED BY THE MAYOR AND THE CITY COUNCIL ON THE DATES SET ABOVE TO BEGIN AS OF FEBRUARY 1, 2026.

CITY OF PRESIDIO, TEXAS

John Ferguson
Mayor

Attest:

Brenda Lee Acuña
City Secretary

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- i. Discussion / action on second and final reading of Ordinance 2026-3 on amended Dark Sky ordinance.

ORDINANCE 2026-3

AN ORDINANCE AMENDING DARK SKY 2021-4 OF THE CITY OF PRESIDIO, TEXAS, TO IMPROVE OUTDOOR LIGHTING IN THE CITY OF PRESIDIO, TEXAS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PRESIDIO, TEXAS;

I. Title, Purpose and Scope

- (a) This ordinance shall be known and cited as the "Outdoor Lighting Ordinance."
- (b) The purpose of this ordinance is:
 - (1) To provide safer, more efficient and attractive outdoor lighting;
 - (2) To conserve energy;
 - (3) To make our community a better place to live and work and a more inviting place to visit; and
 - (4) To preserve the darkness and clarity of the night sky, mindful of the needs of McDonald Observatory.
- (c) This ordinance shall apply within the city, hereinafter referred to as city, and within the surrounding areas where the city asserts powers of extraterritorial jurisdiction.

Sec. II. Definitions.

- (a) The following definitions are hereby adopted for the purposes of this article:

Adaptive Controls mean mechanical or electronic devices, when used in the context of outdoor lighting systems, intended to actively regulate the switching, duration, and/or intensity of light emitted by the outdoor lighting system. Examples of adaptive controls include timers, dimmers and motion-sensing switches.

Beam of a Light Fixture means the spatial distribution of the emitted light.

Correlated Color Temperature (CCT) means a measure of the color properties of light emitted by lamps, being equal to the temperature, expressed in Kelvins (K). CCT values are typically provided on lighting manufacturer packaging or data sheets (see Exhibit 5).

Decorative/Holiday Lighting means low-intensity string lights, whose luminous output does not exceed fifty (50) lumens per linear foot, and fully-shielded floodlights, whose luminous output does not exceed one thousand (1,000) lumens and which are aimed and oriented in such a way as to not create light trespass onto another property nor into the night sky, operated only during prescribed periods of time during the calendar year.

Electronic Message Display means any illuminated sign of an informative or advertising nature, whether on-or off-premise, and operable at night, whose content is made visible to the viewer by means of luminous elements under active electronic control and therefore subject to alteration in order to vary the content of the message. Electronic displays may be either static or dynamic in terms of light color and intensity.

Existing Light Fixtures means those outdoor light fixtures already installed at the time this article is adopted.

Fully Shielded means an outdoor luminaire constructed so that in its installed position, all of the light emitted from the light fixture is projected below the horizontal plane passing through the lowest light-emitting part of the fixture (see Exhibit 4 for an illustration of a fully shielded luminaire and Exhibit 2 for examples of acceptable and unacceptable light fixtures).

Glare means visual discomfort or impairment caused by a bright source of light in a direction near one's line of sight.

Greenhouse means any building that is constructed of glass, plastic, or other transparent material in which plants are grown under climate-controlled conditions and includes hoop houses and other similar structures.

Illuminance means the intensity of light in a specified direction measured at a specific point.

Light Source means a light emitting portion of the luminaire and any diffusing elements and surfaces intended to reflect or refract light emitted from the lamp individually or collectively, for example, a lamp, bulb, lens, highly reflective surface, or frosted glass.

Light Fixture means the assembly that holds or contains a lamp or bulb.

Light Pollution means the sky glow caused by scattered light emitted upward from unshielded or poorly aimed light fixtures.

Light Trespass means light emitted from fixtures designed or installed in a manner that unreasonably causes light to fall on a property other than the one where the light is installed, in a motor vehicle drivers' eyes, or upwards toward the sky. If the light source is visible from another property or the public roadway, the light is creating light trespass. It is expected that the illumination produced by a light source may be viewed from other properties but the light source itself should not be visible from other properties (see Exhibit 6 for educational illustration about light trespass).

Lumen means the unit of measurement used to quantify the amount of light produced by a bulb or emitted from a light source. Lumen values are typically provided on lighting manufacturer packaging or data sheets. For the purposes of this article, unless otherwise stated, the lumen output values shall be the initial lumen output ratings as defined by the manufacturer.

Lumens per Net Acre means the total outdoor light output, as defined in this article, divided by the number of acres, or part of an acre with outdoor illumination.

Luminaire means a complete lighting assembly or lighting fixture, consisting of a lamp, housing, optic(s), and other structural elements, but not including any mounting pole or surface.

Luminance means the measure of light emitted by or from a surface.

Nit means the standard unit of measure of luminance used for internally illuminated signs, digital signs, or electronic message displays.

Outdoor Lighting means temporary or permanent lighting that is installed, located, or used in such a manner to cause light rays to shine outdoors.

Nonresidential fixtures that are installed indoors that cause light rays to shine outside are considered outdoor lighting for the intent of this article. (See Exhibit 3 for an illustration of this type of situation.)

Residential fixtures installed indoors generating more than 3,800 lumens (approximately equal to a 300-watt incandescent bulb) that cause light to shine outside are also considered outdoor lighting for the intent of this article.

All of the lighting that illuminates the translucent portion of a greenhouse or solarium, including roofing material, is considered outdoor lighting for the intent of this article.

Sag-lens or drop-lens means a clear or prismatic refracting lens that extends below the lowest opaque portion of a light fixture.

Searchlight means a light fixture having a narrow beam intended to be seen in the sky.

Spotlight means a light fixture having a narrow beam

Temporary Lighting means non-permanent lighting installations installed and operated for a duration not to exceed thirty (30) days.

Total Outdoor Light Output means the total amount of light, measured in lumens, from all outdoor light fixtures within the illuminated area of a property. The lumen value to be used in the calculation is the lumen value as defined in this article. To compute the total, add the lumen outputs attributed to each light fixture together.

Wallpack means a floodlight mounted on the wall of a building or other structure.

Sec. III. Existing Outdoor Light Fixtures.

- (1) All spotlights and floodlight shall be aimed to point straight down.
- (2) For spotlights and floodlights mounted at or near ground level and used to light a building, billboard, or other structure, the axis of illumination shall be adjusted to minimize the amount of light escaping above, below, and to the sides of the illuminated object.
- (3) Wall packs shall be shielded or replaced to comply with the definition of "Fully Shielded".
 - (b) It shall be the responsibility of the city to publish this article in the newspaper of record and to disseminate the ordinance by other appropriate means; to identify those spotlights, floodlights and wall packs requiring adjustment; and to inform their owners of these provisions.

(1) Any required adjustments shall be completed within six (6) months from the date of the adoption of the lighting ordinance. Any owner who fails to comply with these provisions shall be issued a warning notice. It is not the intent of this article to require an additional investment in order to comply with these provisions.

Existing light fixtures, other than spotlights, floodlights and wall packs, already installed at the time this article is enacted must be brought into compliance with five (5) years from the date of this ordinance.

Sec. IV. New light fixtures installed after the adoption of this article, including replacements for existing fixtures.

Shielding:

All Outdoor Lighting fixtures installed, replaced, or repaired after the effective date of this article shall be fully shielded except as otherwise specified in this article (see Exhibit 4 for an illustration of a fully shielded luminaire and Exhibit 2 for examples of acceptable and unacceptable light fixtures).

Light Trespass:

(1) Light trespass is prohibited. No luminaire, except governmental streetlights, shall create unreasonable conditions of light trespass.

(2) All outdoor lighting, except governmental streetlights, shall be shielded so that the light source shall not be visible from any other property.

(See Exhibit 6 for educational illustration about light trespass.)

Color Temperature:

The Correlated Color Temperature (CCT) of luminaries shall not exceed 2700 Kelvins (see Exhibit 5).

Lumen Caps:

The lumen per net acre values are an upper limit and not a design goal; design goals should be the lowest levels that meet the requirement of the task. Lumen per net acre values exclude governmental owned street lights used for illumination of public rights-of-way and outdoor recreation facilities.

(1) Nonresidential Property: Total outdoor light output installed on any nonresidential property shall not exceed 50,000 lumens per net acre in any contiguous illuminated area;

(2) Residential Property: Total outdoor light output installed on any residential property shall not exceed 25,000 lumens per net acre in any contiguous illuminated area.

Adaptive Controls:

All outdoor lighting is encouraged to be turned off when no one is present to use the light. Adaptive controls such as timers, motion sensors, and half night photocells can assist in this effort.

Service Station Canopies:

All luminaires mounted on or recessed into the lower surface of service station canopies shall be fully shielded and utilize only flat lenses or windows.

Externally Illuminated Signs:

Externally illuminated signs shall be lit only from the top of the sign, with fully shielded luminaires designed and installed to prevent light from spilling beyond the physical edges of the sign.

All illuminated signs shall be extinguished at 11:00 p.m. or within one (1) hour of the end of normal business hours, whichever occurs later. All sign illumination must comply with the correlated color temperature (CCT) requirements of this article.

Internally Illuminated Signs:

Outdoor internally illuminated signs (whether free standing or building mounted) shall be subject to all the following requirements:

(1) The sign must be constructed with an opaque background and translucent letters and symbols or with a colored background and lighter letters and symbols. (See Exhibit 7 for examples).

(2) The internally illuminated portion of the sign cannot be white, cream, off-white, light tan, yellow or any light color unless it is part of a registered logo that does not have an alternate version with dark tones. Light tone colors such as white, cream, off-white, light tan, yellow or any light color are permitted in the logo only, provided that such colors in the logo shall represent not more than 33% of the total sign area permitted.

(3) The internal illumination, between sunset and sunrise, is to be the lowest intensity needed to allow the sign to be visible for up to 1/2 mile from its installation and shall not exceed 50 nits.

(4) Size limit. The luminous surface area of an individual sign shall not exceed 50 square feet.

(5) Electronic message displays are discouraged and shall comply with outdoor lighting curfews stipulated in this article. Messages appearing on electronic displays shall not be displayed for less than (30) seconds and shall require no longer than 0.25 seconds to transition from one message to another. Moving and/or flashing text or images are prohibited.

Sports Lighting:

(1) Lighting at public and private outdoor sports facilities, including but not limited to playing fields, arenas, tracks, and swimming pools, will be shielded to the greatest practical extent to reduce glare, safety hazards, light trespass, and light pollution;

(2) Will provide levels of illuminance that are adjustable according to task, allowing for illuminating levels not to exceed nationally recognized Illuminating Engineering Society of North America (IESNA) standards according to the appropriate class of play, as well as for lower output during other times, such as when field maintenance is being actively performed; and

(3) Shall be provided exclusively for illumination of the surface of play and adjacent viewing stands, and not for any other application, such as lighting a parking lot; and

(4) Must be extinguished by 11:00 p.m. or within one (1) hour of the end of active play. The outdoor sports facility lighting shall be fitted with mechanical or electronic timers to prevent lights from being left on accidentally overnight.

(5) Outdoor sports facility lighting will be exempted from the other regulations of this article if its design and installation, as certified by a professional engineer (PE) licensed in the state of Texas, adheres to the version of the International Dark-Sky Association's Criteria for Community-Friendly Outdoor Sports Lighting operative at the time when the construction permit is submitted to the City for review.

Tower Lighting:

No lighting of towers and associated facilities is allowed, except as required by the Federal Aviation Administration or other federal or state agency. Towers requiring white strobe lights during the day will transition to the lowest allowed intensity pulsating red lights at night.

Outdoor building or landscaping illumination:

The unshielded outdoor illumination of any building or landscaping, or sign is prohibited. Spotlights less than or equal to 500 lumens may be used, provided such fixtures are shielded and aimed to prevent light from being emitted away from the target of illumination and are rated at 2700K CCT or less.

String or Rope Lighting:

String, rope, festoon, bistro, and similar lighting, provided that the emission of no individual lamp exceeds fifty (50) lumens, and no installation of such lighting exceeds, in the aggregate, six thousand (6,000) lumens. These lights must have a CCT at or below 2700 Kelvin.

Outdoor light fixtures with a maximum output of 200 lumens per fixture, regardless of the number of bulbs, may be left unshielded and the fixture conforms to all other stipulations of this article. The output from these fixtures shall not exceed 10% of the lumens per net acre allowed by this article.

Flagpoles:

Property owners are encouraged to not illuminate flagpoles at night, but rather to hoist flags after dawn and lower flags before sunset.

(1) Flagpoles with a height greater than 20 feet above ground level shall be illuminated only from above.

(2) Flagpoles with a height equal to or less than twenty (20) feet above ground level may be illuminated from below. If ground-level illumination is used, flagpoles may be illuminated with spotlight type luminaires, utilizing shields to reduce glare, whose maximum combined lumen output is 75 lumens per linear foot of pole height, measured from the level of the luminaire above grade to the top of the flagpole. Luminaires are to be mounted so that their lenses are perpendicular to the flagpole and the beam of light output points directly toward the flag(s).

Greenhouse Lighting:

All of the lighting that illuminates the translucent portion of a greenhouse or solarium must be shielded so that no direct light shines outside of the structure (see Exhibit 3).

Prohibitions:

The use of the follow types of outdoor lighting are prohibited, except as specifically exempted here or elsewhere in this article.

(1) Sag-lens or drop lens fixtures.

(2) Any luminaire that uses mercury vapor lamps.

(3) Searchlights, sky beams, and similar lighting, except as required by response personnel during emergency conditions.

(4) Any light that dynamically varies its output by intermittently fading, flashing, blinking, or rotating. This includes strobe lighting.

Sec. VII. Exemptions, amendments, and variances

(a) This article shall not apply to the following:

(1) Decorative holiday lighting from November 15 through the next January 15,

(2) Lighting required by the law to be installed on surface vehicles and aircraft;

(3) Airport lighting required by law;

(4) Temporary emergency lighting;

(5) Temporary lighting other than security lighting at construction projects;

(6) Temporary electronic message displays are except when a governmental agency determines that is it necessary for public safety; and

(b) This article may be amended from time to time as local conditions change, and as changes occur in the recommendations of nationally recognized organizations such as the Illuminating Engineering Society of North America and the International Dark-Sky Association.

(c) Nothing in this article shall be construed as limiting the right of any person or entity to pursue legal action against any other person or entity under any applicable law, including the doctrine of light trespass.

(d) The planning and zoning board of the city shall have the power to grant variances in the application of the provisions of this article after review and recommendation by the outdoor lighting advisory group.

Sec. IX. Notification.

(a) All building permit applicants shall be notified of the City of Presidio Lighting Ordinance.

SECOND READING, PASSED, AND APPROVED ON THIS 26 JANUARY 2026.

**FIRST READING ON JANUARY 12, 2026
SECOND READING ON JANUARY 26, 2026**

CITY OF PRESIDIO

**John Ferguson
Mayor, City of Presidio**

ATTEST:

**Brenda Lee Ornelas-Acuña
City Secretary
City of Presidio**

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- j. Discussion / action to consider appointment of Mr. Jiovannie Escontrias to the Presidio Municipal Development District Board open seat.

Date 01/14/26

City of Presidio
507 W. O' Reilly Street
Presidio, Texas 79845

Dear Council Members and City officials,

I am a Jiovannie Escontrias, a citizen who has lived here most of his life. Over the years, I have come and gone, for university studies, job opportunities, and business ventures elsewhere. I currently find myself moving back to the City of Presidio, TX and plan on staying here for a long time, if not permanently.

While being here, I would like to become more involved with the city government because I would like to give back to the town that gave me so much while growing up. I just recently had a son named Ezio. I would like for him to live in a better Presidio than I did. My time in Presidio growing up was great, but it can always be better.

I would like to be a part of the PMDD because I believe that the position best suits my experience and skill sets. I also have plenty of ideas on how to improve the city as a whole economically. The first is by attracting more tourists, through festivals, businesses and attractions. This can be done by searching for federal and state grants and finding sponsors in the private sector for various city funds. With this money we can help our citizens improve or create new businesses that complement each other. Presidio cannot grow only on money generated by the taxpayers. Outside sources of revenue is a must.

Another idea is to attract businesses to the industrial zone. I believe that the industrial zone is very attractive for big corporations. I believe one of the reasons they haven't arrived is because they don't know Presidio exists and the benefits to building a facility here. If a big corporation were to land here, a significant amount of revenue would be generated through property taxes, sales taxes, and job creation.


I look forward to hearing from you on what would be the next steps considering my application. If granted the opportunity, this would be my introduction to city government and will help me gain experience to better serve the community now and in the future. Thank you for your time and consideration.

All the best,
Jiovannie Escontrias



**PRESIDIO MUNICIPAL DEVELOPMENT DISTRICT BOARD
CIVIC SERVICE APPLICATION**

Name: Jiovannie Escontrias
Address: 206 N Grand St, Presidio TX, 79845
Primary Phone # : 512-590-0736
Email Address: jiovannie@discountbookstax.com
Place of Employment: Escontrias Brokerage Inc, Self Employed
Occupation: Accountant
Employment Address: 99011 US Hwy 67, Presidio TX, 79845
Employment Phone #: 432-229-4306
Can you be called at your place of employment? Yes

Signature:  Date: 01/14/26

Submit your application to the City Secretary, Presidio City Hall.

Mail Application: P.O. Box 1899

In Person: 507 W. O'Reilly Street

Presidio, Texas 79845

Email Application: bornelas@presidiotx.us

Appointments to be considered at the City Council Meeting.



Presidio Municipal Development District

P. O. Box 3229 Presidio, Texas 79845

Fiscal Year 2025-2026 PMDD Supplementary Board Application Questionnaire

Have you ever managed or owned a business:

Yes, I currently own a tax firm named Discount Books & Tax LLC and a trucking
company named Advanced Lift Carrier LLC.

Have you ever purchased or sold real estate:

Not for myself, I have been through the process with some of my tax clients.

Do you have any experience with Governmental Regulations-State Code, EPA, DOE, etc:

Yes, I have experience with TXDOT regulations and FMCSA regarding compliance
needed for to maintain good status for my trucking company. Also, familiar with
Texas State Comptroller regarding LLC creation, sales tax, franchise tax compliance, etc.

Do you have any ideas on improving Presidio as a whole and economically:

Yes, many things can be done for the city to improve as a whole economically. The city of Presidio
needs to bring in more tourism, by creating buisnesses and attractions to bring people in.
This can be done by searching for federal and state grants to help our fellow citizens create or
improve their businesses. The city also needs to attract industry, in order to create jobs, and
property tax revenue to the city. With that we can provide better services and quality of life to its citizens.

Have you ever worked with International Trade in any capacity:

Yes, I work in international business on the daily. At Escontrias Brokerage Inc, we create documentation
to CBP so that international business can happen through imports or exports.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS
(NEW/OLD)

- k. Discussion / action regarding the Game Room Ordinance for the City of Presidio.

LINE ITEM 6

**CITY OF PRESIDIO BUSINESS
(NEW/OLD)**

1. Discussion / action regarding filming requests on the City of Presidio property from Ms. Sarah Eckenroth, MXR Films.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS (NEW/OLD)

- m. Discussion / action to consider approval of quote for Electrical Work for Water Well #8 on the TXCDBG Project No. CDB23-0300.

LINE ITEM 6

**CITY OF PRESIDIO BUSINESS
(NEW/OLD)**

- n. Discussion / action to consider approval of Change order No. 1 for Water Well #8 on the TxCDBG Project No. CDB23-0300.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS (NEW/OLD)

- o. Update on the Presidio, Texas Geothermal ongoing and upcoming projects for the 1st quarter of calendar year 2026.

LINE ITEM 6

CITY OF PRESIDIO BUSINESS (NEW/OLD)

- p. Discussion / action to separate the current roles of the City Secretary and Human Resources.
 - 1. Adjourn into executive session as Authorized by the Texas Government Code including, but not limited to section 551.074 (*Personnel Matters*) 6p.
 - 2. Reconvene into open session and take such action as appropriate.